

Coloured T8 F18W/T8/PINK 0002560



Product features

- Coloured T8



NOTES

undefined

PRODUCT OVERVIEW

| | |
|----------------------------|---|
| Product name | F18W/T8/PINK |
| Technology | Fluorescent |
| Lamp shape | Tubular shape |
| Type | T8 |
| Cap/Base | G13 |
| Lamp finish | Frosted/Coated |
| Fixture rating | Open |
| General application | Hospitality, Retail, Residential & Consumer |
| ETIM Class | EC000108 |
| E-number FI | 4942912 |
| E-number SE | 8356729 |
| E-number Norway | 3830224 |
| Luminous flux (lm) | 550 |
| Light colour | Pink |
| Wattage (W) | 18.00 |
| Product Voltage (V) | 57 |
| Dimmable | Yes |
| Average life (Nominal) (h) | 8000 |
| Product EAN number | 5410288025605 |

DATA TABLE

General data

| | |
|--------------|--------------|
| Product name | F18W/T8/PINK |
|--------------|--------------|

Coloured T8 F18W/T8/PINK 0002560

| | |
|---------------------|---|
| Technology | Fluorescent |
| Lamp shape | Tubular shape |
| Type | T8 |
| Cap/Base | G13 |
| Lamp finish | Frosted/Coated |
| Fixture rating | Open |
| General application | Hospitality, Retail, Residential & Consumer |
| ETIM Class | EC000108 |
| E-number FI | 4942912 |
| E-number SE | 8356729 |
| E-number Norway | 3830224 |

Optical data

| | |
|--|------|
| Luminous flux (lm) | 550 |
| Ambient temperature for maximum luminous flux (°C) | 25 |
| Light colour | Pink |
| Adjustable chromaticity | N |

Electrical data

| | |
|-----------------------------------|-------|
| Wattage (W) | 18.00 |
| Watt (Rated) - High frequency (W) | 16.00 |
| Current (A) | 0.370 |
| Product Voltage (V) | 57 |
| Control gear required | Yes |
| Transformer required | No |
| Dimmable | Yes |
| Drive current (mA) | 370 |

Lifetime data

| | |
|----------------------------|------|
| Average life (Nominal) (h) | 8000 |
| Average life (Rated) (h) | 8000 |

Physical data

| | |
|-------------------------------------|-------------|
| Nominal Product Length (mm) | 600.0 |
| Nominal Product Diameter (mm) | 26 |
| Max. Length base to base (mm) - A | 589.8 |
| Length base to pin Min-Max (mm) - B | 594.5-596.9 |
| Max. Lamp Length (mm) - C/L | 604.0 |
| Max. Lamp Diameter (mm) - D | 28.0 |
| Weight (kg) | 0.083 |

Packaging

| | |
|---------------------------------------|----------------|
| Single packaging type | Carton |
| Product EAN number | 5410288025605 |
| Packaging single length / height (cm) | 61.0 |
| Packaging single width (cm) | 2.9 |
| Packaging single depth (cm) | 2.8 |
| DUN14 (outer) | 15410288025602 |

Coloured T8 F18W/T8/PINK 0002560

| | |
|--------------------------------------|------|
| Units per outer package | 25 |
| Packaging outer length / height (cm) | 63.0 |
| Packaging outer width (cm) | 15.5 |
| Packaging outer depth (cm) | 15.0 |

Safety data

| | |
|-------------------------------------|------|
| Lamp mercury content (mg) | 2.80 |
| Special purpose lamp | Yes |
| Suitable for household illumination | Yes |

TECHNICAL DRAWINGS

