

Coloured T8 F36W/T8/PINK 0002564



Product features

- Coloured T8



PRODUCT OVERVIEW

Product name	F36W/T8/PINK
Technology	Fluorescent
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13
Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Retail, Residential & Consumer
ETIM Class	EC000108
E-number FI	4942932
E-number SE	8356733
E-number Norway	3830244
Luminous flux (lm)	1250
Light colour	Pink
Wattage (W)	36.00
Product Voltage (V)	103
Dimmable	Yes
Average life (Nominal) (h)	8000
Product EAN number	5410288025643

DATA TABLE

General data

Product name	F36W/T8/PINK
Technology	Fluorescent
Lamp shape	Tubular shape
Type	T8
Cap/Base	G13

Coloured T8 F36W/T8/PINK 0002564

Lamp finish	Frosted/Coated
Fixture rating	Open
General application	Hospitality, Retail, Residential & Consumer
ETIM Class	EC000108
E-number FI	4942932
E-number SE	8356733
E-number Norway	3830244

Optical data

Luminous flux (lm)	1250
Ambient temperature for maximum luminous flux (°C)	25
Light colour	Pink
Adjustable chromaticity	N

Electrical data

Wattage (W)	36.00
Watt (Rated) - High frequency (W)	32.00
Current (A)	0.430
Product Voltage (V)	103
Control gear required	Yes
Transformer required	No
Dimmable	Yes
Drive current (mA)	430

Lifetime data

Average life (Nominal) (h)	8000
Average life (Rated) (h)	8000

Physical data

Nominal Product Length (mm)	1200.0
Nominal Product Diameter (mm)	26
Max. Length base to base (mm) - A	1199.4
Length base to pin Min-Max (mm) - B	1204.1-1206.5
Max. Lamp Length (mm) - C/L	1213.6
Max. Lamp Diameter (mm) - D	28.0
Weight (kg)	0.159

Packaging

Single packaging type	Carton
Product EAN number	5410288025643
Packaging single length / height (cm)	121.4
Packaging single width (cm)	2.9
Packaging single depth (cm)	2.8
DUN14 (outer)	15410288025640
Units per outer package	25
Packaging outer length / height (cm)	124.0
Packaging outer width (cm)	15.5
Packaging outer depth (cm)	15.0

Coloured T8 F36W/T8/PINK 0002564

Safety data

Lamp mercury content (mg)	2.80
Special purpose lamp	Yes
Suitable for household illumination	Yes

TECHNICAL DRAWINGS

